

HTTP DEBUGGER MANUAL

Table of Contents

Download and Installation	3
Start / Stop Capture Process	3
Main Data Grid	3
Flat and Tree List Modes	3
Grouping Data	4
Sorting Data	5
Moving and Removing Columns	5
Column Auto-Size	5
Reset List Settings	5
Built-In Text Editor	6
Built-In Viewer	6
Views	7
Main	7
Request Stream	7
Response Stream	7
Diagrams	8
Status Bar	8
Filters	8
Highlights	10
Bookmarks	11
Search	12
Simple Search	12
Advanced Search	12
Quick Find	13
Panes	13
Request Header Pane	14
Request Content Pane	15
Request Preview Pane	15
Response Header Pane	15
Response Content Pane	15
Response Preview Pane	15
URL Parameters Pane	16
Cookies Pane	16
Summary Pane	16
Traffic Meter	17
Time Chart	17
Reset Pane Layout	18
Charts and Diagrams	18
Chart Type	19
Chart Data	19
Chart Settings	20
Chart Filters	20
Updating Chart	21

Sessions	22
Save Session.....	22
Restore Session	22
Tools	22
HTTP Submitter.....	22
URL/Text Converter	24
Minimizing to the System Tray	25
Log Files.....	26
Save to Single Log File	26
Save to Separate Files.....	26
Exporting to Microsoft Excel	27
Clearing Logs	27
UI Themes.....	27
Hot Keys.....	27
Uninstalling.....	28

Download and Installation

The HTTP Debugger Free 14-day trial version can be downloaded from <http://www.httpdebugger.com/download.html>.

The trial version of HTTP Debugger works without limitations for 14-days from the moment that you install it onto your computer. When the trial period runs out, you can register the program in order to continue its use.

Start / Stop Capture Process

HTTP Debugger starts the capturing process right after the launching. It intercepts the HTTP traffic from all programs and all TCP/IP ports. You can temporary stop the intercepting process by clicking on the **Pause Capture** button on the toolbar.




To continue the capturing process, simply click the **Start Capture** button on the Toolbar or restart the operation. HTTP Debugger provides complete information about every intercepted HTTP request and response.

Main Data Grid

Flat and Tree List Modes

HTTP Debugger has two presentation forms for the main grid; flat view mode and tree view mode. You can switch between these modes by selecting the **View** tab on the toolbar and then clicking on the **List Mode** button on the toolbar.



Flat view mode

#	Offset	Duration	Size	Application	Full URL	Domain	Method	Type	Status
1	0.000	0.297	1648	firefox.exe	http://yahoo.com/	yahoo.com	GET	text/html; c...	301 Moved ...
2	0.453	0.936	141971	firefox.exe	http://www.yahoo.com/	www.yahoo.com	GET	text/html; c...	200 OK
3	1.716	1.888	122462	firefox.exe	http://l.yimg.com/a/i/us/mntl/...	l.yimg.com	GET	image/jpeg	200 OK
4	1.810	0.125	1793	firefox.exe	http://us.il.yimg.com/us.yimg....	us.il.yimg.com	GET	image/gif	200 OK

Tree view mode

Offset	Duration	Size	Application	Full URL	Domain	Method	Type	Status
0.000	0.312	1648	firefox.exe	http://yahoo.com/	yahoo.com	GET	text/html; c...	301 Moved ...
0.468	0.905	142483	firefox.exe	http://www.yahoo.com/	www.yahoo.com	GET	text/html; c...	200 OK
1.607	0.234	6167	firefox.exe	http://l.yimg.com/a/i/m...	l.yimg.com	GET	image/jpeg	200 OK
18.096	0.890	64287	firefox.exe	http://search.yahoo.co...	search.yahoo.co...	GET	text/html; c...	200 OK
16.817	0.936	2358	firefox.exe	http://us.ard.yahoo.com...	us.ard.yahoo.com	GET	text/html; c...	302 Found

Grouping Data

With HTTP Debugger you can group the captured data under various parameters. For example, you can group data by domain name, content type, status code etc.

#	User	Application	Method	Domain	Full URL	Status
Type: text/html; charset=utf-8						
1	kp	firefox.exe	GET	www.msn.com	http://www.msn.com/	200 OK
Type: text/css						
5	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/hp_1.css	200 OK
6	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/ovr_41.css	200 OK
7	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/b_9_s.css	200 OK
Type: image/png						
17	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/i/kvwrap...	200 OK
18	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/i/kv_log...	200 OK
19	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/i/kvrc.png	200 OK
21	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/i/kvrr.p...	200 OK
22	kp	firefox.exe	GET	col.stc.s-msn.com	http://col.stc.s-msn.com/br/hp/11/en-us/css/i/kvlc.png	200 OK
24	kp	firefox.exe	GET	st.msn.com	http://st.msn.com/br/hp/11/en-us/css/w/11.png	200 OK

Drag the Column Header to the **Group By** box to group data under this parameter. To remove the grouping, drag the column header back to the list or click on the **Reset List Settings** button on the toolbar or press Ctrl+D.

If you don't use the grouping and want to save some space on the HTTP Debugger screen you can hide the **Group By** box by clicking on **Show Grouped By** button on the toolbar or press Ctrl+G.


Sorting Data

You can sort the data in the list by clicking on the appropriate column header. To remove the sorting, click on the **Reset List Settings** button on the toolbar or press Ctrl+D.

Application	Method	Domain	Full URL	Type	Status
firefox.exe	GET	l.yimg.com	http://l.yimg.com/a/i/us/we/3...	image/gif	200 OK
firefox.exe	GET	us.bc.yahoo.com	http://us.bc.yahoo.com/b?P=C...	image/gif	200 OK
firefox.exe	GET	ad.doubleclick.n...	http://ad.doubleclick.net/ad/N...	image/gif	200 OK
firefox.exe	GET	l.yimg.com	http://l.yimg.com/a/i/mntl/ww...	application/x-shockwave-flash	200 OK
firefox.exe	GET	l.yimg.com	http://l.yimg.com/d/a/1-/java/...	application/x-javascript	200 OK
firefox.exe	GET	l.yimg.com	http://l.yimg.com/d/i/ww/sp/j...	application/x-javascript	200 OK
firefox.exe	GET	l.yimg.com	http://l.yimg.com/d/lib/bc/bc_...	application/x-javascript	200 OK

Moving and Removing Columns

If you want to move the column (change the column's order), drag the column header to a new place in the list.



#	Offset	Duration	Full URL	Domain	Method
1	0.000	1.060	http://www.yahoo.com/	www.yahoo.com	GET
2	1.482	0.187	http://l.yimg.com/d/a/1-/java/...	l.yimg.com	GET
3	1.731	0.219	http://l.yimg.com/a/i/ww/thm...	l.yimg.com	GET

If you want to remove a column from the list, simply drag the column header off the program window.


To restore the default order and/or removed columns, click on the **Reset List Settings** button on the toolbar or press Ctrl+D.

Column Auto-Size

You can set HTTP Debugger to automatically adjust the column widths by clicking on the **Column Auto Size** button on the toolbar or pressing Ctrl+I.


Reset List Settings

If you have removed a column, changed the order or size of columns, want to remove grouping or simply want to restore the default layout of the list, click on the **Reset List Settings** button on the toolbar or press Ctrl+D. This only affects the layout of the list and does not change the list's data.



Built-In Text Editor

HTTP Debugger comes with a built-in text editor which supports syntax highlighting for common file types; HTML, CSS, XML, JScript, etc. HTTP Debugger determines the file type based on the **Content-Type** parameter of the HTTP header. The binary files (images, flash, etc) are shown in the HEX view mode.




The HTTP Debugger text editor supports standard editor functions (Find/Copy/Select All, etc).

By default the HTTP Debugger text editor does not wrap long strings. If you want to enable the text wrapping (remove the horizontal scrolling bar) click on **Wrap Text** context menu item or press Ctrl+W on the keyboard.

Built-In Viewer

HTTP Debugger comes with a built-in Picture/HTML/XML/Flash viewer which is based on the Microsoft Web Browser control and supports many common file types; JPEG, GIF, PNG, HTML, XML, Flash, etc. HTTP Debugger determines the file type based on the **Content-Type** parameter of the HTTP header.



While viewing an HTML web page the HTTP Debugger may try to download the embedded web page images from the server. Please make sure that HTTP Debugger is not blocked by your firewall if you want to view web pages in HTTP Debugger.

Views

The HTTP Debugger screen is divided into four different views. You can switch between the views by clicking on the corresponding tab at the bottom.

6	kp	firefox.exe	GET	www.bbc.co.uk	http://www.bbc.co.uk/worldser...	image/jpe
7	kp	firefox.exe	GET	www.bbc.co.uk	http://www.bbc.co.uk/worldser...	image/jpe
8	kp	firefox.exe	GET	www.bbc.co.uk	http://www.bbc.co.uk/worldser...	

Main Request Stream Response Stream Diagrams

Main

The **Main** view shows the summary of the captured HTTP request and response data. To see the details of an item select this item from the list.

Request Stream


The **Request Stream** shows all the details of the selected HTTP request. If a request contains binary data, images, flash, etc., then it will be presented in the HEX view mode.

Response Stream

The **Response Stream** shows all the details of the selected HTTP response. If a response contains binary data, images, flash, etc., then it will be presented in the HEX view mode.


Diagrams

The **Diagrams** view shows the captured HTTP traffic in the presentable form of charts and diagrams. While switching to the Diagrams view the **Charts** tab is added to the toolbar allowing the chart's style and data to be managed.



Status Bar

The status bar displays vital information about HTTP Debugger current status.




The status bar is divided into four parts:

- The first part shows HTTP Debugger current state and/or the full URL of the selected item.
- The second part shows the number of filtered items. You can press F5 to manage your filters.
- The third part shows the total size of the sent data including the size of the HTTP request headers, form data, uploaded files, etc.
- The fourth part shows the total size of the received data including the size of the HTTP response headers, received HTML, downloaded images and files, etc.

Filters

You can set filters to reduce the amount of information shown in the HTTP Debugger main screen. For example, you can set a filter to show the HTTP traffic from a particular web site only, or to monitor only the selected program, hide all images and much more.



You can create a filter for any parameter of the HTTP header. The most important parameter names have already been added to HTTP Debugger, but if you cannot see the necessary parameter name in the list, simply type it in to the corresponding box. The parameter name must not contain spaces, commas, or other punctuation marks and must end with a colon.


If you cannot remember the parameter's exact name, then you can select **Any place in header**.

While adding a filter you have two options:

- Show only results matching your filter
- Hide results matching your filter

For example, if you want to see the HTTP traffic only from the MSN.com web site, you can select **If URL contains** for the parameter name, and type 'msn.com' for the parameter value. The HTTP traffic from all other domains will be ignored.

HTTP Debugger stores all your filters in the registry. This means that your rules stay consistent between program runs and you do not need to create them each time you start the program. To temporarily disable filters without deleting them, unmark the corresponding checkbox on the toolbar.



To open the filters dialog click on the **Set Filters** button on the toolbar or press F5.

To apply your newly added/updated filters to all the existing data in HTTP Debugger, simply click on **Apply Now** on the toolbar.

Filtered Items: 152 Sent: 93 kb Recv: 797 kb

Important: Please note, if you create filters that are too complex, it is possible that all the HTTP traffic will be filtered and nothing will be shown in the HTTP Debugger main screen (you can see the number of filtered items in the status bar). In this case, please update your filters.


Highlights

Highlighting is one of the most and unique and powerful features of HTTP Debugger. With Highlighting you can mark your web pages that perform slowly or are too big, pages that return unexpected error codes or content types, mark your browser redirects etc.

Drag a Column Header here to display data grouped by that column.

Method	Domain	Full URL	Type	Status	Request ...	Reque...	Respons...	Respons...	Respons...	Speed (kb...
POST	urs.microsoft.co...	https://urs.microsoft.com/urs...	text/xml; ch...	200 OK	319	693	303	507	507	8.162
GET	www.cnn.com	http://www.cnn.com/tools/sea...	text/html; c...	302 Found	524	0	306	296	240	2.794
GET	www.google-an...	http://www.google-analytics.c...	image/gif	200 OK	871	0	293	35	35	8.364
GET	images.smartna...	http://images.smartname.com...	text/html	404 Not Fo...	392	0	206	345	345	1.968

Highlighting is applied to a particular cell in the row. That means that several cells in one row can be highlighted in different colors according to your rules.



There are two options available to you:

- Textual rules for strings
- Numeral rules for numbers.

The **Text Rules** can be set for a computer user name, application EXE name, HTTP method, domain name, URL, content type and status code.

The **Numeral Rules** can be set for HTTP header and content sizes, duration and speed.

For example, you can create a rule to mark red all web pages that are downloaded in more than five seconds, and another rule to mark green all web pages that are downloaded in less than 0.1 seconds. Or you can create a rule to mark red all web pages that return error code 404.

HTTP Debugger comes with preset highlighting rules for the most common problems.

HTTP Debugger stores all your highlighting rules in the registry. This means that your rules stay consistent between program runs and you do not need to create them each time you start the program. To temporarily disable highlighting unmark the corresponding checkbox on the toolbar.




To open the highlighting rules dialog click on the **Set Rules** button on the toolbar or press F8.

To apply your newly added/updated rules to all existing data in HTTP Debugger, simply click on **Apply Now** on the toolbar.

Bookmarks


You can bookmark items in the program's main list to quickly navigate to them in the feature. Optionally you may add comments to your bookmarks. To add bookmark, click on **Home** tab, and then click on the **Toggle Bookmark** on the toolbar or press Ctrl+F2. To navigate through bookmarks, click on **Next Bookmark** on toolbar or press F2. To clear all bookmarks click on **Clear All** on toolbar.



Search

Simple Search

After working for a while, the program window may contain hundreds of items making it hard to find a particular HTTP request or response.




In this case, you can use the built-in search feature to quickly locate what you want. Simply click on **Find in List** on the toolbar or press Ctrl+F, type the text you want to locate, select the search parameters and click on **Find**. To continue the search, simply click on **Find Next** on toolbar or press F3.

The **Simple Search** only searches text that exists in the program's main list. If you want to perform a search inside of the HTTP headers and content, use the **Advanced Search**.

Advanced Search


If you want to find an HTTP request or response that contains some text inside of its header or content you may use the **Advanced Search** feature. Click on **Advanced Search** on the toolbar or press Ctrl+Shift+F, type the text you want to locate, select where you want to perform the search and click on **Find**. To continue the search, simply click on **Find Next** on toolbar or press F3 on the keyboard.



The search will be performed both in textual and binary HTTP header and content data.

Quick Find

To quickly locate an HTTP request or response containing the search text, type this text into the **Quick Find** box on toolbar. Only HTTP requests or responses containing the search text will be shown in the list. For example, type 'text/css' into the box to locate all the stylesheets in the list.




The Quick Find searches only the text that exists in the program's main list. If you want to perform a search inside of the HTTP headers and content, use the **Advanced Search**.

Please note that **Quick Find** does not remove items from HTTP Debugger permanently; after clearing the **Quick Find** box you will see all the items in the list as before the search was performed.


To quickly activate the quick find box press F7.

Panes


HTTP Debugger has eleven panes that show a variety of vital information about selected HTTP transactions (HTTP request and response pairs).



Every pane can be moved and attached to any place of the HTTP Debugger window. Simply drag the pane header to a required place.



While dragging a pane, HTTP Debugger will show you arrows and highlight the places where the pane can be attached.




To resize the pane, drag the splitter bar.

You can close the pane by clicking on on the pane's caption. By clicking on you can maximize the pane to the all available space. By clicking on you can set the option to automatically hide the pane when it is not active. Moving the mouse over the pane's icon will bring the pane to the front.

To restore the default layout of the panes, click on the **Reset Panes** button on the toolbar or press Ctrl+Y.

Request Header Pane

HTTP Debugger automatically processes and shows all the HTTP request header parameters in the **Request Header** pane in an easy to understand tabular format.



To open/hide the **Request Header** pane, click on the **Request Header** menu item on the toolbar or press Ctrl+1.

Request Content Pane

In the Request Content pane you can view sent form data, POST parameters and uploaded files. The built-in editor will automatically highlight the syntax for common file types (HTML, XML, JScript, etc). The binary data will be shown in the Hex view mode. The gzip and chunked encodings will be processed automatically.


To open/hide the **Request Content** pane, click on the **Request Content** menu item on the toolbar or press Ctrl+2.

Request Preview Pane

In the **Request Preview** pane you can view uploaded images, XML and HTML files, etc. To open/hide the **Request Preview** pane, click on the **Request Preview** menu item on the toolbar or press Ctrl+3.

Response Header Pane

HTTP Debugger automatically processes and shows all the HTTP response header parameters in the **Response Header** pane in an easy to understand tabular format. To open/hide the **Response Header** pane, click on the **Response Header** menu item on the toolbar or press Ctrl+4.



The screenshot shows a window titled "Response Header" with a table of HTTP response headers. The table has two columns: the header name and its value. The headers listed are: [Response] (HTTP/1.1 200 OK), Date (Tue, 21 Jul 2009 19:22:55 GMT), P3P (policyref="http://info.yahoo.com/w3c/p3p..."), Cache-Control (private), Vary (User-Agent), and Set-Cookie (IU=deleted; expires=Mon, 21 Jul 2008 19:22...). Below the table are three tabs: "Response Hea...", "Response Con...", and "Response Pre...".

Header	Value
[Response]	HTTP/1.1 200 OK
Date	Tue, 21 Jul 2009 19:22:55 GMT
P3P	policyref="http://info.yahoo.com/w3c/p3p...
Cache-Control	private
Vary	User-Agent
Set-Cookie	IU=deleted; expires=Mon, 21 Jul 2008 19:22...

Response Content Pane


In the **Response Content** pane you can view downloaded web pages, XML files, images, etc. The built-in editor will automatically highlight the syntax for the common file types (HTML, XML, JScript, etc). The binary data will be shown in the Hex view mode. The gzip and chunked encodings will be processed automatically. To open/hide the **Response Content** pane, click on the **Response Content** menu item on the toolbar or press Ctrl+5.

Response Preview Pane

In the **Response Preview** pane you can view downloaded images, XML and HTML files, etc. To open/hide the **Response Preview** pane, click on the **Response Preview** menu item on the toolbar or press Ctrl+6.

URL Parameters Pane

HTTP Debugger automatically decodes URL parameters and shows them in the **URL Parameters** pane in an easy to understand tabular format. To open/hide the **URL Parameters** pane, click on the **URL Parameters** menu item on the toolbar or press Ctrl+7.




URL Parameters	
jsv	3525
jsa	view
pi	7317
ps	95101
di	340
tp	http%3A%2F%2Fwww.msn.v
lng	en-GB
tz	2
scr	1280x1024x32
rnd	1248206850702

URL Parameters Cookies

Cookies Pane

In the **Cookies** pane you can view full details of web page cookies. This information includes cookie's associated domains, paths, session IDs, expiration dates and other information that is sent or received from the web server. HTTP Debugger automatically decodes cookie's parameters and shows them in an easy to understand tabular format. To open/hide the **Cookies** pane, click on the **Cookies** menu item on the toolbar or press Ctrl+8.




Cookies	
Sent to Server	
GoogleAccountsLoc	en
PREF	ID= c1e9f17a9c
NID	24=wCj3uobz
SID	DQAAAG4AAJ
HSID	AZILQ0vpAJ2t
Received from Server	
SID	EXPIRED
Domain	.google.com.u
Path	/
Expires	Mon, 01-Jan-1

URL Parameters Cookies

Summary Pane

The **Summary** pane enables you to quickly get detailed information about a particular request and/or response. This information includes: user name, program name, server name, referrer, status code,


downloading time and speed, etc. In the **Summary** pane you can view the compression details (encoding method, compression ratio, etc) for your compressed web pages. To open/hide the **Summary** pane, click on the **Summary** pane button on the toolbar or press F4.



Main	
User	kp
Application	iexplore.exe
User-Agent	mozilla/4.0 (compatible; r
Duration (sec)	1.014
Speed (kb/sec)	34.341
Request Details	
Full URL	http://www.yahoo.com/
Server	www.yahoo.com
Header Size	641
Response Details	
Status	200 OK
Content Type	text/html; charset=utf-8
Header Size	806
Content Encoding	gzip
Content Size	34210
Decompressed Size	135306
Compression Ratio	74.7 %


Traffic Meter

The **Traffic Meter** pane shows your HTTP traffic dynamics. It includes both outgoing and incoming HTTP data. The **Traffic Meter** updates its screen about once a second. It presents data for about the last 12 seconds. The Traffic Meter automatically scales its Y axis depending on your Internet speed and the web server performance. The data presented is in kilobytes. To open/hide the **Traffic Meter** pane, click on the **Traffic Meter** menu item on the toolbar or press Shift+1.



Time Chart

The **Time Chart** allows you to see the time spent to send the particular HTTP Request to the server, the time spent by the server for processing this request, and the time spent to receive the HTTP response from the server. These times depend on your network latency, the web server performance and the size and complexity of your web pages and scripts. The times are shown in seconds. To open/hide the **Time Chart** pane, click on the **Time Chart** menu item on the toolbar or press Shift+2.




Reset Pane Layout

If you have closed a pane you can open it again by clicking on the appropriate menu item or pressing its hot key. If you want to restore the default panes layout click on the **Reset Panes** button on the toolbar or press Ctrl+Y.



Charts and Diagrams

One of most powerful and unique features of HTTP Debugger is providing an ability to analyze the http traffic in a comprehensive form of charts and diagrams.



HTTP Debugger comes with 20 types of diagrams. For each diagram you may choose the chart type and its data

Chart Type

To set the Chart Type, click on the appropriate icon on the toolbar (Pie, Doughnut, Bar, etc) and select the chart type from the popup window that opens.





Chart Data

Each chart type has its own set of data that it can show. After selecting the chart type you can set what data will be shown on the chart's X and Y axes.



Unlike other types of diagram, the **Stacked** charts have two sets of data shown on the X axis.




Chart Settings

Depending on the chart type, you may set the chart's background color, show/hide chart labels and the chart legend.






Chart Filters


In addition to the standard HTTP Debugger filters you can set filters to reduce the amount of data shown in the chart. These chart filters do not delete the data from HTTP Debugger and do not affect the data shown in the program's main list.



The data in the filter's dialog is filled automatically from the existing data from HTTP Debugger.




For example, if you have visited the Yahoo web site then the **Domains** combo box will contain the 'yahoo.com' domain name. If the Yahoo web site has downloaded an image from 'l.yimg.com' then this domain will also be included in the **Domains** combo box.



In addition, you can set two custom filters, one for HTTP request header parameters and one for HTTP response header parameters. Be careful with setting custom filters, if you set the filter too strong no data will be shown in the chart.

Updating Chart


While switching to the **Diagrams** tab, resizing the HTTP Debugger window or setting the chart filters, the charts are generated and updated automatically. If you want to manually update the chart, click on the **Refresh** button on the toolbar.



Sessions

Sometimes reproducing a bug may take several days. The location of the problem source may take even more. With HTTP Debugger you may save your current session to a file and return to your work in few days.

After restoring you will have absolutely the same data as at the time you saved it. Moreover, your users may send you the saved sessions as bug evidence. You may save as many sessions as you want.



Save Session

1. Click the **Save Session** button on the toolbar; alternatively you can press Ctrl+Alt+S.
2. Select the folder where you want to save your file.
3. Enter the name of your session file, or you may use the default one.
4. Click the **Save** button.

You may save as many sessions as you want.

Restore Session


1. Click on the **Restore Session** button on the toolbar; alternatively you can press Ctrl+Alt+R.
2. Select the previously saved session file.
3. Click the **Open** button.

When restoring the session, the HTTP Debugger will pause capturing to avoid the data mixing.

Tools

HTTP Submitter

Sometimes for testing and debugging purposes it is necessary to send a custom HTTP request to the web server with specified parameters.



Using the built-in HTTP submitter you can send any HTTP request with custom HTTP header parameters, HTTP method and POST parameters, send form data and upload files to your server.

Mark the **Auto-Redirect** checkbox if you want the HTTP Submitter to automatically handle redirects. For example, if **Auto-Redirect** is not enabled and you send an HTTP request to 'yahoo.com', you will receive an HTTP response with the 301 status code:


```
HTTP/1.1 301 Moved Permanently
Location: http://www.yahoo.com/
```

With the enabled **Auto-Redirect**, when sending an HTTP request to 'yahoo.com', you will receive the HTTP header and content for the '*www.yahoo.com*' web page.

Mark the **Auto-Cookies** checkbox if you want the HTTP Submitter to automatically send stored cookies for the requested web site. If **Auto-Cookies** is disabled, no cookies will be sent to the server even if they exist on your computer.

Mark the **Auto-Authentication** checkbox if you want the HTTP Submitter to attempt authentication automatically. This is necessary if your web server or proxy server requires authorization.

If you are connected to the Internet via a Proxy server, you can set your proxy server parameters in the 'Proxy...' dialog.



```
HTTP/1.1 200 OK
Date: Wed, 22 Jul 2009 07:47:34 GMT
P3P: policyref="http://info.yahoo.com/w3c/p3p.xml", CP="CAI
Cache-Control: private
Vary: User-Agent
X-XRDS-Location: http://open.login.yahooapis.com/openid20/
Last-Modified: Wed, 22 Jul 2009 07:05:45 GMT
Accept-Ranges: bytes
Content-Length: 9490

<html>
<head>
<title>Yahoo!</title>
<meta http-equiv="Content-Type" content="text/html; charse
<meta name="robots" content="noindex, nofollow">
<meta name="robots" content="noarchive">
<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://w
<base href="http://www.yahoo.com/_ylh=X3oDMTFnMWpyNjY1BF9T:
<style type="text/css">
a{color:#16387c;}
a:link,a:visited{text-decoration:none;}
a:hover{text-decoration:underline;}
</style>
<style type="text/css" media="all">
```

After successfully submitting an HTTP request to the web server, you will receive a popup with the HTTP response details.


The built-in editor will automatically highlight the syntax for common file types (HTML, XML, JScript, etc). The binary data will be shown in the Hex view mode.

The gzip and chunked encodings will be processed automatically.

Note: Since the HTTP Submitter sends HTTP requests and receives HTTP responses like any other network application, these requests and responses will be intercepted by the HTTP Debugger network component and will be shown in the HTTP Debugger main list. You can use the enhanced capabilities of HTTP debugger to analyze these requests and responses.


URL/Text Converter

Sometimes it is necessary to quickly encode a URL with unsafe characters or decode a URL with 'escape' characters ('escape' characters start with a % and 2-digit code, for example %23 = #, %20 = blank).



Log Files

You can save the captured traffic to the disk to analyze them later or to have a copy of the intercepted data.



HTTP Debugger processes and removes chunked and GZIP encodings before saving the HTTP content data.

Save to Single Log File

Save Summary – saves the HTTP traffic summary as a comma separated (*.CSV) file.

Save Selected Item – saves a single HTTP transaction into a log file.

If the HTTP content files contain images, flash movies or any other binary data then you will need a hex viewer to open the log file; or otherwise use the Notepad.

Save All Headers – saves all HTTP headers into a log file. The HTTP transactions are exported in the same order as they are captured. The log file can be opened in the Notepad.

Save All – saves all captured traffic into a log file. The HTTP transactions are exported in the same order as they are captured. This file can contain binary data: images, flash movies etc and you will need a hex viewer to open it.

Save to Separate Files

Save Selected Item – saves a single HTTP transaction into four separate files (request header, request content, response header and response content).

Save All – saves all captured traffic into number of separate files (four files per HTTP transaction). These files are numerated in the same order as they are numerated in the program's main list.

The content file extensions (.jpeg, .html, etc) are determined from the **Content-Type** parameter retrieved from the HTTP header; otherwise the default '.log' extension is used.

Exporting to Microsoft Excel


The summary of captured HTTP traffic can be exported directly to the Microsoft Excel, if it is installed on your computer, by clicking the **Export to Excel** button on the toolbar; alternatively you can press Ctrl+E.

Clearing Logs

To clear all data, click the **Clear Log** button on the toolbar; alternatively you can press Ctrl+L.

UI Themes

HTTP Debugger is supplied with three different user interface themes: blue, silver and black.



To change the HTTP Debugger theme, click the **View** tab in the Toolbar and then click the **Theme** button.

Switching the themes has no effect on functionality and performance, and can therefore be done at any time.

Hot Keys

Ctrl + L	Clear Log
Ctrl + E	Export to Excel
Ctrl + F	Find in List
Ctrl + Shift + F	Advanced Find
F3	Find Next
F7	Activate Quick Find box
Ctrl + F2	Toggle Bookmark
F2	Next Bookmark

Ctrl + Alt + S	Export Session
Ctrl + Alt + R	Import Session
F5	Set Filtering Rules
Ctrl + F5	Enable/disable Filters
Alt + F5	Apply Filters Now
F8	Set Highlighting Rules
Ctrl + F8	Enable/disable Highlighting
Alt + F8	Apply Highlighting Now
Ctrl + P	Start/pause Capture
Ctrl + I	Set Column Auto Size
Ctrl + G	Show/hide Grouped By
F4	Show/hide Summary Pane
Ctrl + 1	Show/hide Request Header Pane
Ctrl + 2	Show/hide Request Content Pane
Ctrl + 3	Show/hide Request Preview Pane
Ctrl + 4	Show/hide Response Header Pane
Ctrl + 5	Show/hide Response Content Pane
Ctrl + 6	Show/hide Response Preview Pane
Ctrl + 7	Show/hide URL Parameters Pane
Ctrl + 8	Show/hide Cookies Pane
Shift + 1	Show/hide Traffic Meter Pane
Shift + 2	Show/hide Time Chart Pane
Ctrl + Y	Reset Panes
Ctrl + D	Reset List Settings

If the Text Editor is Active

Ctrl + F	Find Text
F3	Find Next
Ctrl + W	Wrap Text
Ctrl + C	Copy Text
Ctrl + V	Paste Text
Ctrl + A	Select all Text

Uninstalling

The uninstalling procedure for HTTP Debugger does not differ from the standard operation to remove any program from the Windows operation system. To remove HTTP Debugger from your computer, click on Start, and then select Settings and then Control Panel.

In the window opened, double click on Add/Remove Programs. Select HTTP Debugger in the list of installed programs and then click on Change/Remove. To finish uninstalling you will need to reboot your computer.